



Update _2_0_119

Clinical Reminders

MENTAL HEALTH REMINDER UPDATES 7.0

Install Guide

October 2020

Product Development
Office of Information Technology
Department of Veterans Affairs

Table of Contents

INTRODUCTION	1
PRE-INSTALL	2
INSTALL DETAILS	6
INSTALL EXAMPLE	6
POST INSTALLATION	15

Introduction

Starting January 1, 2021, performance measures will be updated to include the following changes:

1. Depression screening will use PHQ-2 instead of PHQ-2+I9
2. PTSD screening will use PC PTSD instead of PC-PTSD-5+I9
3. Primary suicide screening will be a new stand-alone clinical reminder/dialog pair that will use Mental Health instrument C-SSRS.
1. Alcohol screening will continue to use the AUDC as the screening tool, but the instrument will now “flex” based on the patient sex, that is, different questions will be asked. Formerly sites had the choice to link the screening and follow-up combined dialog to the alcohol screening reminder. The screening reminder will have its own dialog and the follow up for positive alcohol will have its own dialog, there will no longer be a combined dialog.
2. Follow up for positive alcohol reminder has been simplified to remove distinctions for Alcohol Use Dependency (AUD) and Substance Use Disorder (SUD) clinic visits as part of the branching logic for the dialog. This reminder will be due for any patient who scores 5 or greater on the AUDC tool

Other changes included in this Update:

Reminder Taxonomy VA-DEMENTIA DIAGNOSIS was updated to include A81.00, A81.01, A81.09, A81.2, A81.89, F01.50, F01.51, F02.80, F02.81, F03.90, F03.91, F10.27 F19.97, G23.1, G30.0, G30.8, G31.01, G31.09, G31.83, G90.3

When installing the update and are prompted, choose OVERWRITE for VA-DEMENTIA DIAGNOSIS taxonomy.

Reminder Location List VA-MH NO SHOW APPT CLINICS LL had the following telephone stop codes added: 527,528,530,542,545,546,579 and 584

Six reminder definitions and their associated dialog are being distributed with this update

VA-ALCOHOL USE SCREEN (AUDIT-C)

VA-ALCOHOL AUDIT-C POSITIVE F/U EVAL

VA-DEPRESSION SCREENING

VA-PTSD SCREENING

VA-PRIMARY SUICIDE SCREEN

VA-FOLLOW-UP POS PTSD/DEP COMBINATION

UPDATE_2_0_119 contains 1 Reminder Exchange entry:

UPDATE_2_0_119 MH UPDATES 7.0

The exchange file contains the following components:

REMINDER DIALOG LINK TYPE

VA-ALCOHOL POSITIVE WARM HANDOFF CHECK
VA-CSSRS RN WARM HANDOFF CHECK
VA-PTSD POSITIVE WARM HANDOFF CHECK
VA-DEPRESSION POSITIVE WARM HANDOFF CHECK

TIU TEMPLATE FIELD

VA-SUD CPG
BLANK TEXT FIELD FOR DIALOGS
VA-URL MANAGE AUD TX IN PRIMARY CARE
VA-PTSD CPG
VA-PTSD PCL INFO
BLANK SPACE1
VA-URL PHQ9
VA-DEP CPG

EDUCATION TOPICS

MEDICAL PROBLEMS OF ALCOHOL (SCREENING)
ALCOHOL USE AND MEDICAL PROBLEMS

HEALTH FACTORS

VA-REMINDER UPDATES
VA-UPDATE_2_0_119
MENTAL HEALTH
VA-WARM HANDOFF ALCOHOL POSITIVE
VA-NURSE/LPN-PATIENT COG IMPAIRMENT
ALCOHOL USE
REFUSED ALCOHOL USE SCREENING
SEVERE CHRONIC COGNITIVE IMPAIRMENT
UNABLE TO SCREEN - ACUTE ILLNESS
REMINDER FACTORS
LIFE EXPECTANCY < 6 MONTHS
ALCOHOL - ADVISE ON SAFE LIMITS
REFER FOR ALCOHOL TREATMENT
ALCOHOL - ADVISE TO ABSTAIN
ALCOHOL USE WITHIN SAFE LIMITS
VA-ALCOHOL ABSTAIN OTHER ADVICE
REFUSED REFERRAL TO SUBSTANCE ABUSE
VA-ALCOHOL OTHER
VA-ALCOHOL REFER TO SUD PROGRAM
VA-ALCOHOL REFER TO PCMH
VA-ALCOHOL TREAT IN PRIMARY CARE
VA-ALCOHOL SELF HELP/AA MEETINGS
NON-DRINKER (NO ALCOHOL FOR >1 YR)

VA-ALCOHOL USE AND MEDICAL PROBLEMS
ALCOHOL - PRIOR TREATMENT
ALCOHOL COUNSELING - PT. RESPONSE
ALCOHOL - RESPONSE TO COUNSELING
ALCOHOL - ADDL ASSESSMENT OF USE
ALCOHOL - ASSESS USE
ALCOHOL - NO PRIOR TREATMENT
VA-WARM HANDOFF PTSD/DEP POSITIVE
REFUSED PTSD SCREEN
DEP/PTSD/SI ASSESSMENT COMPLETE
PTSD ASSESSMENT COMPLETE
DEPRESSION ASSESS COMPLETE
VA-SUICIDE RISK EVALUATION TYPE [C]
VA-SUICIDE RISK UPDATE EVALUATION
VA-SUICIDE RISK NEW EVALUATION
VA-CSSRS RN COGNITIVE IMPAIRMENT
VA-CSSRS DECLINED
REFUSED DEPRESSION SCREENING

REMINDER SPONSOR

Mental Health Services
Office of Public Health and Environmental Hazards
National Clinical Practice Guideline Council
Office of Patient Care Services
Mental Health and Behavioral Science Strategic Group
Office of Quality & Performance
NATIONAL CENTER FOR HEALTH PROMOTION AND DISEASE PREVENTION
(NCP)
Office of Mental Health Services

REMINDER TAXONOMY

VA-TERMINAL CANCER PATIENTS
VA-AUD DIAGNOSIS
VA-DEMENTIA DIAGNOSIS
VA-PTSD DX OUTPT VISIT
VA-DEPRESSION DX OUTPT VISIT

REMINDER LOCATION LIST

VA-MH NO SHOW APPT CLINICS LL
VA-SUD CLINICS

REMINDER TERM

VA-REMINDER UPDATE_2_0_119
VA-USER CLASS FOR COGNITIVE IMPAIRMENT
VA-BL NURSE/LPN COG IMPAIRMENT
VA-MH ACUTE ILLNESS

VA-POS ALCOHOL SCREEN
VA-COGNITIVE IMPAIRMENT
VA-REFUSED ALCOHOL SCREENING
VA-LIFE EXPECTANCY < 6 MONTHS
VA-ALCOHOL USE SCREEN
VA-ALC USE INTERVENTIONS
VA-BL AUDIT-C >7
VA-SEX
VA-AUD DIAGNOSIS
VA-SUD CLINIC VISIT
VA-ALCOHOL NONE PAST 1YR
VA-ALC MEDICAL PROBLEMS
VA-ALCOHOL USE INFORMATION
VA-PC-PTSD NEGATIVE
VA-DEMENTIA DIAGNOSIS
VA-VETERAN PATIENT
VA-PTSD DIAGNOSIS
VA-SUICIDE SCREEN POSITIVE PTSD
VA-SUICIDE SCREEN NEGATIVE PTSD
VA-PTSD/DEPRESSION ASSESSMENT COMPLETE
VA-REFUSED PTSD SCREEN
VA-PTSD SCREEN POSITIVE
VA-PTSD SCREEN NEGATIVE
VA-PTSD SCREEN
VA-BL C-SSRS DONE TODAY
VA-C-SSRS DONE TODAY POSITIVE QUESTION 8
VA-C-SSRS DONE TODAY POSITIVE QUESTION 5
VA-C-SSRS DONE TODAY POSITIVE QUESTION 4
VA-C-SSRS DONE TODAY POSITIVE QUESTION 3
VA-BL C-SSRS DONE TODAY POSITIVE
VA-USER CLASS NURSE
VA-CSSRS DECLINED
VA-CSSRS ACUTE ILLNESS
VA-PHQ-2 NEGATIVE
VA-SUICIDE SCREEN POSITIVE DEPRESSION
VA-SUICIDE SCREEN NEGATIVE DEPRESSION
VA-REFUSED DEPRESSION SCREENING
VA-DEPRESSION SCREEN POSITIVE
VA-DEPRESSION SCREEN NEGATIVE
VA-DEPRESSION DIAGNOSIS

REMINDER DEFINITION

VA-BL NURSE/LPN COG IMPAIRMENT
VA-BL C-SSRS DONE TODAY POSITIVE
VA-ALCOHOL USE SCREEN (AUDIT-C)
VA-ALCOHOL AUDIT-C POSITIVE F/U EVAL

VA-PTSD SCREENING
VA-PRIMARY SUICIDE SCREEN
VA-DEPRESSION SCREENING
VA-FOLLOW-UP POS PTSD/DEP COMBINATION

HEALTH SUMMARY COMPONENT

MHA Score
PCE HEALTH FACTORS SELECTED

HEALTH SUMMARY TYPE

OB AUDC
VA-CSRE DONE TODAY
PC-PTSD PCL+I9
PHQ2+I9

HEALTH SUMMARY OBJECTS

AUDC (TIU)
VA-CSRE DONE TODAY (TIU)
PC-PTSD PCL+I9 (TIU)
PHQ2+I9 (TIU)

TIU DOCUMENT DEFINITION

AUDIT-C
VA-CSRE DONE TODAY
PC-PTSD PCL+I9
PHQ2+I9

REMINDER DIALOG

VA-ALCOHOL USE SCREENING (AUDIT-C)
VA-AUD-C POS BRIEF ALCOHOL COUNSELING
VA-PRIMARY SUICIDE SCREEN C-SSRS
VA-FOLLOW-UP POS PTSD/DEP COMBINATION
VA-PTSD SCREENING
VA-DEPRESSION SCREEN

Pre-Install

1. Sites may want to check for quick order(s) in the VA-FOLLOW-UP POS PTSD/DEP COMBINATION dialog and have those available when installing this dialog. Even though the name of the elements leads one to think this is only for PTSD, this should be a generic consult to MH for either a depression and/or a PTSD issue. Below are the elements you can check for Quick Orders.

VA-PTSD SCREEN POS MH EMERGENT EVAL
VA-PTSD SCREEN POS MH NON-EMERGENT EVAL

2. Sites may want to check for quick order(s) in the VA-AUD-C POS BRIEF ALCOHOL COUNSELING reminder dialog and have available when installing this dialog. Below is the element you can check for Quick Orders.
VA-ALC REFER TO SPECIALTY SUD PROG
3. Reminder update 37 (UPDATE_2_0_37), update 53 (UPDATE_2_0_53), update 63 (UPDATE_2_0_63) should be considered a prerequisite to Update 119.

Install Details

This update is being distributed as a web host file. The address for the host file is:
https://REDACTED/UPDATE_2_0_119.PRD

The file will be installed using Reminder Exchange, programmer access is not required.

Installation:

=====

This update can be loaded with users on the system. Installation will take less than 20 minutes.

Install Example

To Load the exchange file, use LWH. The URL is https://REDACTED/UPDATE_2_0_119.PRD

```

+      + Next Screen  - Prev Screen  ?? More Actions      >>>
CHF  Create Host File                LHM  Load MailMan Message
CHM  Create MailMan Message          LR   List Reminder Definitions
DFE  Delete Exchange File Entry      LWH  Load Web Host File
IFE  Install Exchange File Entry     RI   Reminder Definition Inquiry
IH   Installation History            RP   Repack
Select Action: Next Screen// LWH  Load Web Host File
Input the URL for the .prd file: https://[REDACTED]UPDATE_2_0_119.PRD
Added Reminder Exchange entry UPDATE_2_0_119 MH UPDATES 7.0

```

If you use LWH and it works, you will see something similar to this message. Make sure the file was loaded successfully.

```

https://[REDACTED]UPDATE_2_0_119.PRD successfully loaded.

```

Most components will be the same and will be skipped. Here are general rules for prompts to which you will have to respond.

If a component exists, but is different, use **OVERWRITE** action

If a component is new, use **INSTALL** action

For Reminder Terms below, use **OVERWRITE** action

VA-DEPRESSION SCREEN NEGATIVE

VA-DEPRESSION SCREEN POSITIVE

VA-PTSD SCREEN

VA-PTSD SCREEN NEGATIVE

VA-PTSD SCREEN POSITIVE

VA-SUICIDE SCREEN NEGATIVE PTSD

VA-SUICIDE SCREEN POSITIVE PTSD

VA-PC-PTSD NEGATIVE

VA-SUICIDE SCREEN NEGATIVE DEPRESSION

VA-SUICIDE SCREEN POSITIVE DEPRESSION

Search and locate an entry titled UPDATE_2_0_119 MH UPDATES 7.0 in reminder exchange. If you were a test site, you may have more than 1 entry with this name. Be sure and choose the entry with date of 11/11/2020

+Item	Entry	Source	Date Packed
76	UPDATE_2_0_119 MH UPDATES 7.0		11/11/2020@07:14
77	UPDATE_2_0_12 VA-DIFFICULT AIRWAY		03/10/2016@14:12
78	UPDATE_2_0_120 VA-OSP SUICIDE RISK MANAGEMENT FOLLOW-UP		04/01/2020@15:07
79	UPDATE_2_0_121 VA-BUPRENORPHINE FOLLOW UP		08/03/2020@12:31
80	UPDATE_2_0_122 VA-COVID SCREEN UPDATE		03/26/2020@06:41
81	UPDATE_2_0_123 VA-COVID-19		03/27/2020@09:55
+ + Next Screen - Prev Screen ?? More Actions >>>			
CFE	Create Exchange File Entry	LHF	Load Host File
CHF	Create Host File	LMM	Load MailMan Message
CMM	Create MailMan Message	LR	List Reminder Definitions
DFE	Delete Exchange File Entry	LWH	Load Web Host File
IFE	Install Exchange File Entry	RI	Reminder Definition Inquiry
IH	Installation History	RP	Repack
Select Action: Next Screen// IFE Install Exchange File Entry			
Enter a list or range of numbers (1-358): 76			

At the **Select Action** prompt, enter **IFE** for Install Exchange File Entry
Enter the number that corresponds with your entry titled UPDATE_2_0_119 MH UPDATES 7.0 (in this example it is entry 76, it will vary by site) that is dated 11/11/2020.

At the **Select Action** prompt, type **IA** for Install all Components and hit enter.

You will see several prompts:

For all new entries you will choose **I to Install**

For reminder definitions, Taxonomies, TIU Template fields, Health Summary Type, Reminder Location List entries that exist, but the packed component is different, use **OVERWRITE** action.

For Reminder Terms, use **MERGE** action except for the ones below: For these, use **OVERWRITE** action.

VA-DEPRESSION SCREEN NEGATIVE

VA-DEPRESSION SCREEN POSITIVE
 VA-PTSD SCREEN
 VA-PTSD SCREEN NEGATIVE
 VA-PTSD SCREEN POSITIVE
 VA-SUICIDE SCREEN NEGATIVE PTSD
 VA-SUICIDE SCREEN POSITIVE PTSD
 VA-PC-PTSD NEGATIVE
 VA-SUICIDE SCREEN NEGATIVE DEPRESSION
 VA-SUICIDE SCREEN POSITIVE DEPRESSION

Dialog installation may not necessarily appear in the order listed in the install guide

```

Component                                     Category  Exists
Source:
Date Packed: 11/11/2020@07:14:27
Package Version: 2.0P46

Description:
The following Clinical Reminder items were selected for packing:
REMINDER DIALOG
  VA-DEPRESSION SCREEN
  VA-PTSD SCREENING
  VA-FOLLOW-UP POS PTSD/DEP COMBINATION
  VA-PRIMARY SUICIDE SCREEN C-SSRS
  VA-AUD-C POS BRIEF ALCOHOL COUNSELING
  VA-ALCOHOL USE SCREENING (AUDIT-C)

REMINDER LOCATION LIST
  VA-MH NO SHOW APPT CLINICS LL
+   Enter ?? for more actions >>>
IA  Install all Components          IS  Install Selected Component
Select Action: Next Screen// Q
  
```

You will be prompted to install the first reminder dialog component:

Packed reminder dialog: VA-ALCOHOL USE SCREENING (AUDIT-C)						
Item	Seq.	Dialog Findings	Type	Exists		
1		VA-ALCOHOL USE SCREENING (AUDIT-C)	dialog	X		
2	1	VA-ALCOHOL SCREENING VERSION Finding: *NONE*	group	X		
3	1.5	VA-TEXT ALCOHOL MISUSE SCREEN INSTRUCTIONS Finding: *NONE*	element	X		
4	1.10	VAL-GP ALC SCREEN AUDC Finding: *NONE*	group	X		
5	1.10.5	VA-GP MH AUDC Finding: *NONE*	group	X		
6	1.10.5.5	VA-MH AUDC Finding: AUDC (MH TESTS AND SURVEY)	element	X		
7		PXRM AUDC RESULT GROUP	rs.group	X		
8		PXRM AUDC RESULT ELEMENT 1	rs.element	X		
9		PXRM AUDC RESULT ELEMENT 3	rs.element	X		
+ + Next Screen - Prev Screen ?? More Actions						
DD	Dialog	Details	DT	Dialog Text	IS	Install Selected
DF	Dialog	Findings	DU	Dialog Usage	QU	Quit
DS	Dialog	Summary	IA	Install All		
Select Action: Next Screen// IA						

At the **Select Action** prompt, type **IA** to install the dialog – **VA-ALCOHOL USE SCREEN (AUDIT-C)**

Select Action: Next Screen// IA Install All

Install reminder dialog and all components with no further changes: **Y// YES**

Packed reminder dialog: VA-ALCOHOL USE SCREENING (AUDIT-C)					
VA-ALCOHOL USE SCREENING (AUDIT-C) (reminder dialog) installed from exchange file					
Item	Seq.	Dialog Findings	Type	Exists	
1		VA-ALCOHOL USE SCREENING (AUDIT-C)	dialog	X	
2	1	VA-ALCOHOL SCREENING VERSION	group	X	
		Finding: *NONE*			
3	1.5	VA-TEXT ALCOHOL MISUSE SCREEN INSTRUCTIONS	element	X	
		Finding: *NONE*			
4	1.10	VAL-GP ALC SCREEN AUDC	group	X	
		Finding: *NONE*			
5	1.10.5	VA-GP MH AUDC	group	X	
		Finding: *NONE*			
6	1.10.5.5	VA-MH AUDC	element	X	
		Finding: AUDC (MH TESTS AND SURVEY)		X	
7		PXRM AUDC RESULT GROUP	rs.group	X	
8		PXRM AUDC RESULT ELEMENT 1	rs.element	X	
9		PXRM AUDC RESULT ELEMENT 3	rs.element	X	
+ + Next Screen - Prev Screen ?? More Actions					
DD	Dialog	Details	DT	Dialog Text	IS Install Selected
DF	Dialog	Findings	DU	Dialog Usage	QU Quit
DS	Dialog	Summary	IA	Install All	
Select Action: Next Screen// Q					

When the dialog has completed installation, you will then be returned to this screen. At the **Select Action** prompt, type **Q**.

You will be prompted to install the next reminder dialog component:

Packed reminder dialog: VA-AUD-C POS BRIEF ALCOHOL COUNSELING [NATIONAL DIALOG]				
Item	Seq.	Dialog Findings	Type	Exists
1		VA-AUD-C POS BRIEF ALCOHOL COUNSELING	dialog	X
2	1	VA-POS ALCOHOL FOLLOW UP VERSION Finding: *NONE*	element	X
3	25	TEXT AUDC PRIOR RESULTS Finding: *NONE*	element	X
4	30	VA-AUDC SCORE GREATHER THAN/EQUAL TO 5 Finding: *NONE*	element	
5	35	VA-ALC SCREEN POS MEDICAL PROBLEMS Finding: *NONE*	element	X
6		VA-ALCOHOL BAC FEEDBACK OPTIONS	prompt	X
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog Details	DT	Dialog Text	IS Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU Quit
DS	Dialog Summary	IA	Install All	
Select Action: Next Screen// IA				

At the **Select Action** prompt, type **IA** to install the dialog – **VA-AUD-C POS BRIEF ALCOHOL COUNSELING**

Select Action: Next Screen// IA Install All

Install reminder dialog and all components with no further changes: **Y// YES**

Packed reminder dialog: VA-AUD-C POS BRIEF ALCOHOL COUNSELING [NATIONAL DIALOG]				
VA-AUD-C POS BRIEF ALCOHOL COUNSELING (reminder dialog) installed from exchange				
Item	Seq.	Dialog Findings	Type	Exists
1		VA-AUD-C POS BRIEF ALCOHOL COUNSELING	dialog	X
2	1	VA-POS ALCOHOL FOLLOW UP VERSION Finding: *NONE*	element	X
3	25	TEXT AUDC PRIOR RESULTS Finding: *NONE*	element	X
4	30	VA-AUDC SCORE GREATHER THAN/EQUAL TO 5 Finding: *NONE*	element	X
5	35	VA-ALC SCREEN POS MEDICAL PROBLEMS Finding: *NONE*	element	X
6		VA-ALCOHOL BAC FEEDBACK OPTIONS	prompt	X
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog Details	DT	Dialog Text	IS Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU Quit
DS	Dialog Summary	IA	Install All	
Select Action: Next Screen// Q				

When the dialog has completed installation, you will then be returned to this screen. At the **Select Action** prompt, type **Q**.

You will be prompted to install the next reminder dialog component:

Packed reminder dialog: VA-PRIMARY SUICIDE SCREEN C-SSRS [NATIONAL DIALOG]				
Item	Seq.	Dialog Findings	Type	Exists
1		VA-PRIMARY SUICIDE SCREEN C-SSRS	dialog	
2	3	VA-PRIMARY SUICIDE SCREEN C-SSRS VERSION NUMBER Finding: *NONE*	element	
3	5	VA-PRIMARY SUICIDE SCREEN C-SSRS HEADER Finding: *NONE*	group	
4	10	VA-GP PRIMARY SUICIDE SCREEN C-SSRS* Finding: *NONE*	group	
5	10.5	VA-SUICIDE RISK ASSESSMENT C-SSRS* Finding: C-SSRS (MH TESTS AND SURVEY)	element	X
6		PXRM C-SSRS RESULT GROUP 3	rs.group	X
7		PXRM C-SSRS RESULT ELEMENT 3	rs.element	X
8		PXRM C-SSRS RESULT GROUP 4	rs.group	X
+ + Next Screen - Prev Screen ?? More Actions				
DD		Dialog Details	DT	Dialog Text
DF		Dialog Findings	DU	Dialog Usage
DS		Dialog Summary	IA	Install All
Select Action: Next Screen// IA Install All				

At the **Select Action** prompt, type **IA** to install the dialog – **VA-PRIMARY SUICIDE SCREEN C-SSRS**

Select Action: Next Screen// **IA Install All**

Install reminder dialog and all components with no further changes: **Y// YES**

You will see these prompts:

Reminder Dialog VA-PRIMA

RY SUICIDE SCREEN C-SSRS is not linked to a reminder.

Select Reminder to Link: VA-PRIMARY SUICIDE SCREEN// **HIT ENTER TO LINK REMINDER**

Packed reminder dialog: VA-PRIMARY SUICIDE SCREEN C-SSRS [NATIONAL DIALOG]				
VA-PRIMARY SUICIDE SCREEN C-SSRS (reminder dialog) installed from exchange file.				
Item	Seq.	Dialog Findings	Type	Exists
1		VA-PRIMARY SUICIDE SCREEN C-SSRS	dialog	X
2	3	VA-PRIMARY SUICIDE SCREEN C-SSRS VERSION NUMBER Finding: *NONE*	element	X
3	5	VA-PRIMARY SUICIDE SCREEN C-SSRS HEADER Finding: *NONE*	group	X
4	10	VA-GP PRIMARY SUICIDE SCREEN C-SSRS* Finding: *NONE*	group	X
5	10.5	VA-SUICIDE RISK ASSESSMENT C-SSRS* Finding: C-SSRS (MH TESTS AND SURVEY)	element	X
6		PXRM C-SSRS RESULT GROUP 3	rs.group	X
7		PXRM C-SSRS RESULT ELEMENT 3	rs.element	X
8		PXRM C-SSRS RESULT GROUP 4	rs.group	X
+ + Next Screen - Prev Screen ?? More Actions				
DF		Dialog Findings	DU	Dialog Usage
DS		Dialog Summary	IA	Install All
Select Action: Next Screen// Q Quit				

When the dialog has completed installation, you will then be returned to this screen. At the **Select Action** prompt, type **Q**.

You will be prompted to install the next reminder dialog component:

Packed reminder dialog: VA-FOLLOW-UP POS PTSD/DEP COMBINATION [NATIONAL DIALOG]

Item	Seq.	Dialog Findings	Type	Exists		
1		VA-FOLLOW-UP POS PTSD/DEP COMBINATION	dialog	X		
2	2	VA-DEPRESSION/PTSD FOLLOW UP VERSION Finding: *NONE*	element	X		
3	5	VA-PTSD/DEPRESSION COMBINATION MASTER GP Finding: DEP/PTSD/SI ASSESSMENT COMPLETE (HEALTH FACTOR)	group	X		
4	5.5	VA-GP POS PTSD/DEP HEADER Finding: *NONE*	group	X		
5	5.5.5	VA-GP POS PTSD/DEP OBJECTS Finding: *NONE*	group	X		
6	5.5.5.5	VA-POS PTSD/DEP OBJECTS Finding: *NONE*	element	X		
7	5.10	VA-PTSD/DEP SCREEN POS DISPOSTIONS GP Finding: *NONE*	group	X		
+ + Next Screen - Prev Screen ?? More Actions						
DD	Dialog	Details	DT	Dialog Text	IS	Install Selected
DF	Dialog	Findings	DU	Dialog Usage	QU	Quit
DS	Dialog	Summary	IA	Install All		
Select Action: Next Screen// IA						

At the **Select Action** prompt, type **IA** to install the dialog – VA-FOLLOW-UP POS PTSD/DEP COMBINATION

Select Action: Next Screen// IA Install All

Install reminder dialog and all components with no further changes: Y// YES

Packed reminder dialog: VA-FOLLOW-UP POS PTSD/DEP COMBINATION [NATIONAL DIALOG]
VA-FOLLOW-UP POS PTSD/DEP COMBINATION (reminder dialog) installed from exchange

Item	Seq.	Dialog Findings	Type	Exists		
1		VA-FOLLOW-UP POS PTSD/DEP COMBINATION	dialog	X		
2	2	VA-DEPRESSION/PTSD FOLLOW UP VERSION Finding: *NONE*	element	X		
3	5	VA-PTSD/DEPRESSION COMBINATION MASTER GP Finding: DEP/PTSD/SI ASSESSMENT COMPLETE (HEALTH FACTOR)	group	X		
4	5.5	VA-GP POS PTSD/DEP HEADER Finding: *NONE*	group	X		
5	5.5.5	VA-GP POS PTSD/DEP OBJECTS Finding: *NONE*	group	X		
6	5.5.5.5	VA-POS PTSD/DEP OBJECTS Finding: *NONE*	element	X		
7	5.10	VA-PTSD/DEP SCREEN POS DISPOSTIONS GP Finding: *NONE*	group	X		
+ + Next Screen - Prev Screen ?? More Actions						
DD	Dialog	Details	DT	Dialog Text	IS	Install Selected
DF	Dialog	Findings	DU	Dialog Usage	QU	Quit
DS	Dialog	Summary	IA	Install All		
Select Action: Next Screen// Q						

When the dialog has completed installation, you will then be returned to this screen. At the **Select Action** prompt, type **Q**.

You will be prompted to install the next reminder dialog component:

Packed reminder dialog: VA-PTSD SCREENING [NATIONAL DIALOG]					
Item	Seq.	Dialog Findings	Type	Exists	
1		VA-PTSD SCREENING	dialog	X	
2	1	VA-PTSD SCREENING VERSION	group	X	
		Finding: *NONE*			
3	1.5	VA-PTSD SCREEN	group	X	
		Finding: *NONE*			
4	1.5.10	VA-MH PC-PTSD+I9 SCREEN	element	X	
		Finding: PC-PTSD-5 (MH TESTS AND SURVEY)		X	
5		PXRM PTSD RESULT GROUP	rs.group	X	
6		PXRM PTSD RESULT ELEMENT 1	rs.element	X	
7		PXRM PTSD RESULT ELEMENT 2	rs.element	X	
8	1.5.20	VA-GP PTSD UNABLE TO SCREEN	group	X	
		Finding: *NONE*			
9	1.5.20.5	VA-HF ACUTE ILLNESS	element	X	
		Finding: UNABLE TO SCREEN - ACUTE ILLNESS (HEALTH FACTOR)		X	
+ + Next Screen - Prev Screen ?? More Actions					
DD	Dialog	Details	DT	Dialog Text	IS Install Selected
DF	Dialog	Findings	DU	Dialog Usage	QU Quit
DS	Dialog	Summary	IA	Install All	
Select Action: Next Screen// IA					

At the **Select Action** prompt, type **IA** to install the dialog – VA-PTSD SCREENING

Select Action: Next Screen// **IA Install All**

Install reminder dialog and all components with no further changes: **Y// YES**

Packed reminder dialog: VA-PTSD SCREENING [NATIONAL DIALOG]				
VA-PTSD SCREENING (reminder dialog) installed from exchange file.				
Item	Seq.	Dialog Findings	Type	Exists
1		VA-PTSD SCREENING	dialog	X
2	1	VA-PTSD SCREENING VERSION	group	X
		Finding: *NONE*		
3	1.5	VA-PTSD SCREEN	group	X
		Finding: *NONE*		
4	1.5.10	VA-MH PC-PTSD+I9 SCREEN	element	X
		Finding: PC-PTSD-5 (MH TESTS AND SURVEY)		X
5		PXRM PTSD RESULT GROUP	rs.group	X
6		PXRM PTSD RESULT ELEMENT 1	rs.element	X
7		PXRM PTSD RESULT ELEMENT 2	rs.element	X
8	1.5.20	VA-GP PTSD UNABLE TO SCREEN	group	X
		Finding: *NONE*		
9	1.5.20.5	VA-HF ACUTE ILLNESS	element	X
		Finding: UNABLE TO SCREEN - ACUTE ILLNESS (HEALTH FACTOR)		X
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog Details	DT	Dialog Text	IS Install Selected
DF	Dialog Findings	DU	Dialog Usage	QU Quit
DS	Dialog Summary	IA	Install All	
Select Action: Next Screen// Q				

When the dialog has completed installation, you will then be returned to this screen. At the **Select Action** prompt, type **Q**.

You will be prompted to install the last reminder dialog component:

Packed reminder dialog: VA-DEPRESSION SCREEN [NATIONAL DIALOG]				
Item	Seq.	Dialog Findings	Type	Exists
1		VA-DEPRESSION SCREEN	dialog	X
2	1	VA-DEPRESSION SCREENING VERSION	group	X
		Finding: *NONE*		
3	1.5	VA-DEP PHQ2	group	X
		Finding: *NONE*		
4	1.5.5	VA-PHQ-2	element	
		Finding: PHQ-2 (MH TESTS AND SURVEY)		X
5		PXRM PHQ2 RESULT GROUP	rs.group	X
6		PXRM PHQ2 RESULT ELEMENT 1	rs.element	X
7		PXRM PHQ2 RESULT ELEMENT 2	rs.element	X
8	1.5.20	VA-GP DEP UNABLE TO SCREEN	group	X
		Finding: *NONE*		
9	1.5.20.5	VA-HF ACUTE ILLNESS	element	X
		Finding: UNABLE TO SCREEN - ACUTE ILLNESS (HEALTH FACTOR)		X
+ + Next Screen - Prev Screen ?? More Actions				
DD	Dialog	Details	DT	Dialog Text
IS				Install Selected
DF	Dialog	Findings	DU	Dialog Usage
QU				Quit
DS	Dialog	Summary	IA	Install All
Select Action: Next Screen// IA				

At the **Select Action** prompt, type **IA** to install the dialog – **VA-DEPRESSION SCREENING**

Select Action: Next Screen// **IA Install All**

Install reminder dialog and all components with no further changes: **Y// YES**

Packed reminder dialog: VA-DEPRESSION SCREEN [NATIONAL DIALOG]					
VA-DEPRESSION SCREEN (reminder dialog) installed from exchange file.					
Item	Seq.	Dialog Findings	Type	Exists	
1		VA-DEPRESSION SCREEN	dialog	X	
2	1	VA-DEPRESSION SCREENING VERSION	group	X	
		Finding: *NONE*			
3	1.5	VA-DEP PHQ2	group	X	
		Finding: *NONE*			
4	1.5.5	VA-PHQ-2	element	X	
		Finding: PHQ-2 (MH TESTS AND SURVEY)		X	
5		PXRM PHQ2 RESULT GROUP	rs.group	X	
6		PXRM PHQ2 RESULT ELEMENT 1	rs.element	X	
7		PXRM PHQ2 RESULT ELEMENT 2	rs.element	X	
8	1.5.20	VA-GP DEP UNABLE TO SCREEN	group	X	
		Finding: *NONE*			
9	1.5.20.5	VA-HF ACUTE ILLNESS	element	X	
		Finding: UNABLE TO SCREEN - ACUTE ILLNESS (HEALTH FACTOR)		X	
+ + Next Screen - Prev Screen ?? More Actions					
DD	Dialog	Details	DT	Dialog Text	IS Install Selected
DF	Dialog	Findings	DU	Dialog Usage	QU Quit
DS	Dialog	Summary	IA	Install All	
Select Action: Next Screen// Q					

When the dialog has completed installation, you will then be returned to this screen. At the

Select Action prompt, type **Q**.

This will complete the Dialog Install section.

Component	Category	Exists
Source: [REDACTED]		
Date Packed: 11/11/2020@07:14:27		
Package Version: 2.0P46		
Description:		
The following Clinical Reminder items were selected for packing:		
REMINDER DIALOG		
VA-DEPRESSION SCREEN		
VA-PTSD SCREENING		
VA-FOLLOW-UP POS PTSD/DEP COMBINATION		
VA-PRIMARY SUICIDE SCREEN C-SSRS		
VA-AUD-C POS BRIEF ALCOHOL COUNSELING		
VA-ALCOHOL USE SCREENING (AUDIT-C)		
REMINDER LOCATION LIST		
VA-MH NO SHOW APPT CLINICS LL		
+ Enter ?? for more actions >>>		
IA	Install all Components	IS Install Selected Component
Select Action: Next Screen// Q		

Type Q to exit the installation

Post Installation

1. Reminder Term VA-USER CLASS NURSE has two mapped items, both are CF.VA-ASU USER CLASS. Make sure you have your exact RN and LPN user class names in the CF parameter field. If you have more than 2 user classes that represent RN and LPN, you will have to add a new instance of the computed finding VA-ASU USER CLASS, this is done by using quotes: "CF.VA-ASU USER CLASS". This term is used in branching logic to display the warm handoff option in the primary suicide screen reminder dialog, if you have additional user classes that may complete the primary suicide screen and should have this option in the dialog, you can add them to this term.
2. Ensure the new VA-PRIMARY SUICIDE SCREEN reminder (print name is "Suicide Screen") is added to your coversheet for users.
3. Add your local Quick Orders back into the following elements from Pre-Install
 - a. VA-PTSD SCREEN POS MH EMERGENT EVAL
 - b. VA-PTSD SCREEN POS MH NON-EMERGENT EVAL
 - c. VA-ALC REFER TO SPECIALTY SUD PROG

Install complete.